

**NAME**

wimjoin– Join a split WIM into a standalone WIM

**SYNOPSIS**

**wimjoin** [*OPTION...*] *OUT\_WIMFILE SPLIT\_WIM\_PART...*

**DESCRIPTION**

**wimjoin**, or equivalently **wimlib-imagex join**, joins the *SPLIT\_WIM\_PARTs* into a standalone (one-part) WIM *OUT\_WIMFILE*. All parts of the split WIM must be specified; you probably want to do so using a shell wildcard.

**OPTIONS****--check**

When reading each *SPLIT\_WIM\_PART*, verify its integrity if it contains extra integrity information. In addition, include extra integrity information in *OUT\_WIMFILE*, even if the split WIM parts did not contain this information.

**--include-integrity**

Include extra integrity information in *OUT\_WIMFILE*, i.e. like **--check** but don't also verify the split WIM parts beforehand.

**EXAMPLES**

Join a split WIM, with the parts named 'windows\*.swm' where the \* is anything (usually the number of the part, except for the first part which may have no number), and write the joined WIM to the file 'windows.wim'.

```
wimjoin windows.wim windows*.swm
```

**NOTES**

Both non-pipable and pipable split WIMs may be joined.

**wimjoin** is roughly equivalent to:

```
wimexport SWM_PART_1 --ref="SWM_GLOB" all OUT_WIMFILE
```

**SEE ALSO**

**wimlib-imagex(1)** **wimexport(1)** **wimsplit(1)**